

பொது சுகாதாரம் மற்றும் நோய்தடுப்பு மருந்துதுறை, சிவகங்கை மாவட்டம்

அனுப்புனர்

பெறுனர்

மரு.மா.விஜய்சந்திரன், எம்.பி.பி.எஸ்., டி.பி.எச் டிஐஎச்
துணை இயக்குனர் சுகாதார பணிகள்
சிவகங்கை

முதல்வர்
கேந்திரிய வித்யாலயா
R.T.C., ITBP இலுப்பைகுடி,
சிவகங்கை வட்டாரம் & மாவட்டம்

ஒ.மு.எண் 4600/அ5/2023

நாள்: 30.06.2023

அய்யா,

- பொருள்: பொது சுகாதாரம் மற்றும் நோய்தடுப்பு மருந்துதுறை - சுகாதார சான்றிதழ்-
நிபந்தனைகளுக்குட்பட்டு ஒப்புதல் வழங்குதல் - தொடர்பாக
- பார்வை: 1. தங்களது விண்ணப்பம் நாள்: 19.06.2023
2. இவ்வலுவலக கடிதம் ந.க.எண் 4600 நாள்: 20.06.2023
3. கீழ்ப்புங்குடி, அ.ஆ.சு. நிலைய, வட்டார சுகாதார மேற்பார்வையாளாரின்
ஆய்வு நாள்: 22.06.2023

பார்வை 3-ல் கண்டுள்ள கடிதம் மூலம் ஆய்வு செய்யப்பட்டு, பெறப்பட்ட **கேந்திரிய வித்யாலயா R.T.C., ITBP** இலுப்பைகுடி சிவகங்கை வட்டாரம் & மாவட்டம் -630562 என்ற முகவரியில் இயங்கிவரும் பள்ளிக்கு, சுகாதார சான்றிதழ் கீழ்க்கண்ட நிபந்தனைகளின்படி, ஒப்புதல் அளிக்கப்பட்டு மேலோப்பம் செய்து அனுப்பப்படுகிறது.

வளாகத்தில் கொசு வளரும் இடங்களை கண்டறிந்து அழிக்க வாரம்தோறும் துப்புறவு முகாம் நடத்த வேண்டும். இதற்கென ஒரு பொறுப்பு ஆசிரியர் (Nodal Officer) அமர்த்த வேண்டும்.

1. வகுப்பறையில் உள்ள மாணவ மாணவிகளின் இருக்கை வசதிகள் கல்விதுறையின் விதிகளுக்குட்பட்டு இருக்க வேண்டும்.
2. கட்டிடம் வரைபடத்தில் உள்ளபடி இருத்தல் வேண்டும்.
3. வளாகத்தில் சுற்று சுவர் உறுதியாக இருத்தல் வேண்டும்.
4. வளாகத்தின் குறுக்கே மின்வாரிய மின் அழுத்த கம்பி ஊடே செல்லக்கூடாது.
5. வளாகத்தில் விளையாட்டு மைதானம் மற்றும் முதலுதவி பெட்டி அவசியம் இருத்தல் வேண்டும்.
6. வளாகத்தில் எளிதில் தீப்பற்றக்கூடிய கூரைகள் உபயோகிக்க கூடாது மற்றும் தீயணைப்பு சாதனங்கள் பொருத்தபட வேண்டும்.
7. வளாகத்தில் பாதுகாக்கப்பட்ட குடிநீர் வசதியுடன் மேல் நிலைதொட்டிகள் அமைக்கபட வேண்டும்,
8. வளாகத்தில் மாணவ/மாணவியர் விடுதி இருப்பின், பொதுசுகாதார சட்டம் 1939 ன்படி, சுத்தமாகவும், சுகாதாரமாகவும் பராமரிக்க வேண்டும் மற்றும் அதற்கு தனியாக சுகாதார சான்று பெறப்படவேண்டும்.
9. சிகரெட் மற்றும் புகையிலை தடுப்பு சட்டம் 2003 -ன்படி, வளாகத்தில் புகையிலை பொருட்களை எவரும் பயன்படுத்த கட்டாயம் அனுமதிக்கக்கூடாது. மேலும் " புகையிலை பயன்படுத்த தடை செய்யப்பட்ட பகுதி" என்ற அறிவிப்பு பலகையை பார்வையில் படும்படி, வைக்கபட வேண்டும்.

மேற்கண்ட நிபந்தனைகள் தவறும்பட்சத்தில், இந்த சான்றிதழ் ரத்து செய்யப்படும் என்று தெரிவித்துக்கொள்ளப்படுகிறது.

துணை இயக்குனர் சுகாதார பணிகள்
சிவகங்கை

நகல்

1. வட்டார சுகாதார மேற்பார்வையாளர், வட்டார ஆரம்ப சுகாதார நிலையம், கீழ்ப்புங்குடி
2. தொழில் நுட்ப நேர்முக உதவியாளர், இவ்வலுவலகம்

Government of Tamilnadu
Department of Public Health and Preventive Medicine

APPENDIX - XIII


Safe Drinking water and sanitary condition certificate

It is certified that an inspection by Block Health Supervisor, Govt. Primary Health Centre, Keelapoongudi, Public Health and preventive Medicine department Sivagangai district on **22.06.2023** and found that the school **Kendriya Vidyalaya , R.T.C., ITBP., Illupaikudi**, Sivagangai Block & District, Tamilnadu, Pin Code 630562 has safe drinking water facilities for the students and members of staff of the institution and maintaining the hygienic sanitation condition in the school buildings and the campus as per norms prescribed by the central/State government.

Conditions:

Any violation of the Public Health Act and rules or insanitary conditions are found later if any, the issue of the certificate is liable to be cancelled.

The above is valid for a period of one year from the date of issue.


தொழில்நுட்ப நேர்முக உதவியாளர்,
துணை இயக்குநர் கூகாநாயகிகள் சிலுவலகம்,
சிவகங்கை.


Block Health Supervisor
Govt. Primary Health Centre
Keelapoonkudi - 630 552
Sivagangai Block & District

K.Dis.No: 4600/A5/2023 Dated: 20.06.2023
Office of the Deputy Director of Health Services, Sivagangai

/Counter Signed /


Deputy Director of Health Services
Sivagangai

To

Principal
Kendriya Vidyalaya , R.T.C., ITBP.,
Illupaikudi -630562
Sivagangai Block & District,
Tamilnadu,



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

DISTRICT WATER TESTING LABORATORY

Municipal Building, Weekly Market Street,
Sivagangai - 630 561



TC - 10514

Phone: 04575 - 243178

E-mail: wtlsvg@gmail.com

TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Report No:	TR/2023/ 27610-1	Report Issue Date :	26.06.2023	Page No : 01 of 01
Invoice Details:	999/Dt.20.06.2023 Amt.Rs.1652 /-	ULR No	TC105142300000029F	

Client Name & Address Contact No / Email.ID	: The Principal, Kendravidiyalaya, RTC, ITBP Iluppaikudi, Sivagangai District
Sample Name	: Water
Sample Number	: 27610-1
Sample Description	: R.O. Water
Sample Submitted by	: D.S.Chandrasekaran
Location & Date	: Inside the ITBP Campus & 10.06.2023
Quantity of sample Received	: 2 Litre
Sample Container	: Jerry Cane
Sample Condition on Receipt	: Good
Sample Received On	: 20.06.2023
Test Commenced on	: 20.06.2023
Test Completed on	: 26.06.2023
Environmental Condition	: 25.0°C – 28.0°C

S.No	Parameters	Unit	Test Method	Result	Specification as per IS 10500:2012(RA:2019)	
					Acceptable Limit	Permissible Limit in the absence of alternate source
1	pH @ 25° C	-	IS 3025 Part 11-1983	7.32	6.5-8.5	6.5-8.5
2	Total Hardness as CaCO ₃	mg/L	IS 3025 Part 21-2009	18	200	600
3	Total Alkalinity as CaCO ₃	mg/L	IS 3025-Part 23-1986	12	200	600
4	Chloride as Cl	mg/L	IS 3025-Part 32-1988	20	250	1000
5	Sulphate as SO ₄	mg/L	IS 3025-Part 24-1986	2	200	400
6	Nitrate as NO ₃	mg/L	APHA 23rd Edition 2017- 4500 -NO3 B	0	45	45
7	Fluoride as F	mg/L	APHA 23rd Edition 2017 - 4500- F-D	0.22	1.0	1.5

Remark: The tested sample conformed to IS: 10500:2012 (RA: 2019) Drinking water specification with respect to above tested parameters. The Decision rule is not applicable.

.....End of the report.....


Authorised Signatory
E.Iyyappa Babu

Assistant Executive Engineer,

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
4. The result applied to the sample as received basis.



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

DISTRICT WATER TESTING LABORATORY

Municipal Building, Weekly Market Street

Sivagangai – 630 561

Phone: 04575 - 243178

E-mail: wtlsvg@gmail.com

TEST REPORT


Doc.No: DWTL/FORM/7.8/01

Report No:	TR/2023/ 27610-2	Report Issue Date :	26.06.2023	Page No:01 of 02
Invoice Details:	999 /Dt.20.06.2023/Amt.Rs.1180/-			

Client Name & Address : The Principal,
Contact No / Email.ID : Kendraavidyalaya, RTC, ITBP
Iluppaikudi,
Sivagangai District

Sample Name	: Water
Sample Number	: 27610-2
Sample Description	: R.O. Water
Sample Submitted by	: D.S.Chandrasekaran
Location & Date	: Inside the ITBP Campus & 10.06.2023
Quantity of sample Received	: 2 Litre
Sample Container	: Jerry Cane
Sample Condition on Receipt	: Good
Sample Received On	: 20.06.2023
Test Commenced on	: 20.06.2023
Test Completed on	: 26.06.2023
Environmental Condition	: 25.0°C – 28.0°C

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit in the absence of alternate source
1	Appearance	Visual observation	--	Clear	Clear	Clear
2	Odour	IS 3025 Part 5 : 1983	--	Agreeable	Agreeable	Agreeable
3	Turbidity	APHA 23rd Edition 2017 - 2130 B	NTU	0	1	5
4	Total Dissolved Solids	APHA 23rd Edition 2017 – 2540 C	mg/L	63	500	2000
5	Conductivity	APHA 23rd Edition 2017 – 2510 B	µS/cm	90	-	-
6	P - Alkalinity	IS 3025–Part 23-1983	mg/L	NIL	-	-
7	Calcium as Ca	APHA 23rd Edition 2017 – 3500 Ca B	mg/L	0	75	200
8	Magnesium as Mg	APHA 23rd Edition 2017– 3500 Mg B	mg/L	0	30	100
9	Iron as Fe	APHA 23rd Edition 2017– 3500 Fe B	mg/L	0	0.3	1
10	Manganese as Mn	APHA 23rd Edition 2017 – 3500 Mn B	mg/L	0	0.1	0.3


Authorised Signatory
E.Iyyappa Babu
Assistant Executive Engineer

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
4. The result applied to the sample as received basis.



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

DISTRICT WATER TESTING LABORATORY

Municipal Building, Weekly Market Street

Sivagangai – 630 561

Phone: 04575 - 243178

E-mail: wtlsvg@gmail.com

TEST REPORT

Doc.No: DWTL/FORM/7.8/01


Report No:	TR/2023/ 27610-2	Report Issue Date :	26.06.2023	Page No:02 of 02
Invoice Details:	999 /Dt.20.06.2023/Amt.Rs.1180/-			

11	Ammonia as NH ₃	APHA 17th Edition-1989– 4500 NH3C	mg/L	0	0.5	0.5
----	----------------------------	-----------------------------------	------	---	-----	-----

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit in the absence of alternate source
12	Nitrite as NO ₂	APHA 23rd Edition 2017– 4500-NO2 B	mg/L	0	-	-
13	Total Phosphate as PO ₄	APHA 23rd Edition 2017 – 4500 P- D	mg/L	0	-	-
14	Tidys 4 hr. test	APHA 23rd Edition 2017 – 4500 O - B	mg/L	0	-	-
15	Residual Chlorine	IS/APHA	mg/L	0.0	0.2	1.0
BACTERIOLOGICAL EXAMINATION						
16	Fecal Coliform	IS/APHA	CFU/100ML	0	0	0

Report: :The tested sample conformed to IS:10500:2012(RA: 2019)drinking water specification with respect to above tested parameters.

.....End of the report.....


Authorised Signatory
E.Iyyappa Babu
Assistant Executive Engineer

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
4. The result applied to the sample as received basis.

TAMIL NADU WATER SUPPLY AND DRAINAGE BOARD WATER ANALYSIS LABORATORY

THIRUPPATHUR

SIVAGANGAI

Invoice No : 777

Date : 20.06.2023

to THE PRINCIPAL,
KENDRANID/ALAY/A, RTC, ITBP
ILUPPAIKODE, SIVAGANGAI DISTRICT.

Your Ref. No.

Our Ref. No. / AR. No. 21610

Sl. No.	Description	No. of Samples	Rate	Amount
	<p>Towards testing of Water Sample for Chemical / Chemical & Bacteriological / Bacteriological / Bleaching / Alum. / Construction Examination</p> <p><u>Location of Sample</u> <u>inside the ITBP</u> <u>Camp</u></p>	<p>P&C /NO Bact /NO</p>	<p>1000 400</p>	<p>1000 400</p> <hr/> <p>1400</p> <p>18% GST</p> <hr/> <p>252</p> <hr/> <p>1652</p> <p style="text-align: right;">Total</p>

(Rupees One thousand six hundred and fifty two only)


Inv. No: 918344

Date: 19.06.2023

Party: Union Bank

Branch: Sivagangai

Amount: 1652 /-


Assistant Executive Engineer
TWAD BOARD
District Water Testing Laboratory
Sivagangai

ASST. ENGINEER
TWAD BOARD SUB DIVISION
THIRUPPATHUR

Note: The water analysis charges should be paid by Demand Draft only in drawn in favour of the Administrative Officer, TWAD Board, S.R. Circle, SIVAGANGAI

Executive Engineer

Recd's Division